

Chapter 17.44

PLUMBING CODE

(1409-5/68, 1630-2/71, 1937-10/74, 2089-8/76, 2282-5/78, 2337-1/79, 2431-7/80, 2747-2/85, 2976-12/88, 3022-12/89, 3147-7/92, 3309-12/95, 3426-7/99, 3575-10/02, 3790-1/08, 3896-12/10)

Sections:

- 17.44.010 Adoption
- 17.44.020 Title
- 17.44.022 Administration
- 17.44.025 Toilet facilities for workers
- 17.44.030 (Repealed - Ordinance No. 3790-1/08)
- 17.44.035 Materials
- 17.44.040 (Repealed - Ordinance No. 3022-12/89)
- 17.44.050 (Repealed - Ordinance No 3022-12/89)
- 17.44.060 (Repealed - Ordinance No 3147-7/92)
- 17.44.070 (Repealed - Ordinance No 3147-7/92)
- 17.44.080 (Repealed - Ordinance No 3147-7/92)
- 17.44.090 (Repealed - Ordinance No 3022-12/89)
- 17.44.095 (Repealed - Ordinance No.3790-1/08)
- 17.44.100 (Repealed - Ordinance No 3309-12/95)

17.44.010 Adoption. There is hereby adopted by the City Council by reference that certain code known as the 2010 California Plumbing Code, and the whole thereof, including Appendices A, D, E, and I except as hereafter provided, but excluding Chapter 1, entitled "Administration." Such code, and amendments thereto, is hereby adopted and incorporated, pursuant to California Government Code § 50022.2 et seq., and Health and Safety Code § 18941.5 as fully as though set forth at length herein for the purpose of prescribing regulations governing the installation, alteration, repair and maintenance of plumbing and drainage systems. From the date on which this chapter takes effect, the provisions of said code, together with amendments thereto, shall be controlling within the corporate limits of the city of Huntington Beach. (1937-10/74, 2089-8/76, 2431-7/80, 2747-2/85, 2976-12/88, 3022-12/89, 3147-7/92, 3426-7/99, 3790-1/08, 3896-12/10)

17.44.020 Title. This chapter shall be known as the "Huntington Beach Plumbing Code," may be cited as such, and will be referred to herein as "this code." (1409-5/68, 1630-2/71, 1937-10/74, 2431-7/80, 2747-2/85, 2976-12/88)

17.44.022 Adminstration. For administrative provisions of this code see Chapter 1 of the Huntington Beach Building Code. (3896-12/10)

17.44.025 Toilet facilities for workers. §412.6 is hereby amended by adding the following:

§412.6 Toilet facilities for workers. Suitable toilet facilities shall be provided and maintained in a sanitary condition for the use of workers during construction. Such toilet facilities shall be located upon or within a reasonable distance of the lot, premises, or site upon which such work is being done. In no case shall the line of travel to any toilet facility exceed 500 feet.

(3147-7/92, 3575-10/02, 3790-1/08, 3896-12/10)

17.44.035 Materials. Subsection 701.1.2 §701, is hereby amended to read as follows:
(3309-12/95, 3575-10/02)

§ 701.1.2 ABS and PVC DWV piping installations shall be installed in accordance with applicable standards referenced in Table 14-1. Except for individual single family dwelling units, materials exposed within ducts or plenums shall have a flamespread index of not more than 25 and a smoke-developed index of not more than 50, when tested in accordance with the Test for Surface – Burning

Characteristics of the Building Materials (see the Building Code standards based on ASTM E-84 and ANSI/UL 723). (3790-1/08, 3896-12/10)

§ 701.1.2.2 ABS ABS and PVC DWV piping installations shall be limited to structures not more than two (2) stories in height of Type III, IV, or V construction.
(3147-7/92, 3309-12/95, 3426-7/99, 3575-10/02, 3896-12/10)